

ASTRO PROJECTOR



IP66

4000K | 150lm/W

30W ✓
4500lm

50W ✓
7500lm

100W ✓
15000lm

150W ✓
22500lm

200W ✓
30000lm

LED Type:
Philips LED



TECHNICAL INFORMATION

4000K | 150lm/W | Done Driver

Type of Protection: **IP66**


Wattage: **30W**

Luminous Flux: **4500lm**

Luminous Efficacy: **150lm/W**

Color: **4000K**

SKU: **ILAR-01920**



Type of Protection: **IP66**


Wattage: **50W**

Luminous Flux: **7500lm**

Luminous Efficacy: **150lm/W**

Color: **4000K**

SKU: **ILAR-01921**



TECHNICAL INFORMATION

4000K | 150lm/W | Sonser Driver

Type of Protection: **IP66**

Wattage: **100W**

Luminous Flux: **15000lm**

Luminous Efficacy: **150lm/W**

Color: **4000K**

SKU: **ILAR-01922**

Type of Protection: **IP66**

Wattage: **150W**

Luminous Flux: **22500lm**

Luminous Efficacy: **150lm/W**

Color: **4000K**

SKU: **ILAR-01923**

Type of Protection: **IP66**




Wattage: **200W**

Luminous Flux: **30000lm**

Luminous Efficacy: **150lm/W**

Color: **4000K**

SKU: **ILAR-01924**





The **Astro Projector** belongs to a professional series of high-quality projectors that offer exceptional illumination in outdoor environments. With an IP66 rating, these projectors are highly resistant to water, dust and other external agents, making them perfect for use in outdoor areas.

The body of the Astro floodlight is made of high-intensity die-cast aluminum, which guarantees great durability and resistance. In addition, the high-quality tempered glass used in the projector is able to withstand impacts and friction, guaranteeing its protection even in the harshest conditions.

With its robust and reliable design, the Astro Floodlight is able to provide powerful and efficient lighting in environments such as gardens, building facades, parking lots and industrial areas. If you're looking for a high-performance, resistant and durable floodlight, the Astro Floodlight is the ideal choice.



NEW

ARON
LIGHT

ACCESS THE PRODUCTS ON OUR WEBSITE



www.aronlight.com | geral@aronlight.pt | +351 215 846 905